Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number

	Substitute for fo	orm 144	49/PTO		Complete if Known	618
	INFORMATION	DISC	LOSURE	Application Number	10/566,358	46
	STATEMENT B	Y APF	PLICANT	Filing Date	04/13/2006	Y _S
Date Submitted: December 8, 2009				First Named Inventor	Dominique BOURE	L DEC 08 2009 .
				Art Unit	1644	
	(use as many shee	ets as	necessary)	Examiner Name	Ilia I. Ouspenski	13
Sheet	1	of	6	Attorney Docket Number	065691-0433	TRACEMAN

U.S. PATENT DOCUMENTS						
Examin	Cite	Document Number	Publication Date	Name of Patentee or Applicant of	Pages, Columns, Lines, Where Relevant	
er Initials*	No.1	Number-Kind Code ² (if known)	MM-DD-YYYY		Passages or Relevant Figures Appear	

UNPUBLISHED U.S. PATENT APPLICATION DOCUMENTS							
Examiner Initials*	Cite No. ¹	U.S. Patent Application Document Serial Number-Kind Code ² (if known)	Filing Date of Cited Document MM-DD-YYYY	Name of Patentee or Applicant of Cited Document	Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear		

			FOREIGN PATENT	DOCUMENTS		
Examiner Initials*	Cite No. ¹	Foreign Patent Document Country Code ³ Number ⁴ Kind Code ⁵ (<i>if known</i>)	Publication Date MM-DD-YYYY	Name of Patentee or Applicant of Cited Documents	Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear	T⁵
	A1	EP 1 270 595 B1	01/02/2003	Kyowa Hakko Kogyo Co., Ltd.		
	A2	EP 1 443 961 B1	08/11/2004	Genentech, Inc.		-
			1			

		NON PATENT LITERATURE DOCUMENTS			
Examiner Initials*	Cite No.1				
	A3	Advanced Catalogue Search, ATCC Number CRL-1662, Product Description, [online] [retrieved on Sept. 22, 2009]. Retrieved from the Internet: <url: crl="" mhtml:file:="" property\applications\oppositions\lfb\atcc="" w:\intellectual="">.</url:>			
	A4	Advanced Catalogue Search, ATCC Number CRL-1823, Product Description [online] [retrieved on 09/22/2009]. Retrieved from the Internet: <url: description="" http:="" lgcadvancedcataloguesearch="" product="" www.lgcstandards-atcc.org="">.</url:>			
	A5	ALBERTS, et al., "Molecular Biology of The Cell, 3 rd Ed., p. 1206, Ch. 23: <i>The Immune System</i> , Garland Publishing.			
	A6	ARMSTRONG-FISHER et al., "Evaluation of a panel of human monoclonal antibodies to D and Exploration of the synergistic effects of blending IgG1 and IgG3 antibodies on their in vitro biologic function," <i>Transfusion</i> , Aug. 1999, pp. 1005-1012, Vol. 39.			

Examiner Signature	Date Considered	

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. 1 Applicant's unique citation designation number (optional). 2 See Kinds Codes of USPTO Patent Documents at www.uspto.gov or MPEP 901.04. 3 Enter Office that issued the document, by the two-letter code (WIPÓ Standard ST.3). 4 For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. 5 Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST.16 if possible. 6 Applicant is to place a check mark here if English language Translation is attached.

This collection of information is required by 37 CFR 1.97 and 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 2 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number

	Substitute for fo	orm 144	19/PTO	Complete if Known		
	INFORMATION	DISCI	LOSURE	Application Number	10/566,358	
	STATEMENT B	Y APP	PLICANT	Filing Date	04/13/2006	
	Data Cubasittadi D		- or 9 2000	First Named Inventor	Dominique BOUREL	
	Date Submitted: D	ecem	bei 6, 2009	Art Unit	1644	
	(use as many she	ets as	necessary)	Examiner Name	Ilia I. Ouspenski	
Sheet	2	of	6	Attorney Docket Number	065691-0433	

		NON PATENT LITERATURE DOCUMENTS				
Examiner Initials*	Cite No. ¹	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.) date, page(s), volume-issue number(s), publisher, city and/or country where published.				
	A7	Blood Plasma, Wikipedia, [online] [retrieved on 09/22/2009]. Retrieved from the Internet: <url: blood_plasma="" en.wikipedia.org="" http:="" wiki="">, 3 pages. Revision history of Blood plasma, Wikipedia, [online] [retrieved 09/22/2009]. Retrieved from the Internet: <url: en.wikipedia.org="" http:="" index.php?title="Blood_plasma&limit=500&action=history" w="">, 18 pages.</url:></url:>				
	A8	BOYD et al., "The Effect of the Removal of Sialic Acid, Galactose and Total Carbohydrate on the Functional Activity of Campath-1H," <i>Mole. Immunol.</i> , 1995, pp. 1311-1318, Vol. 32, Nos. 17/18.				
	A9	BRAND, A., "Immunosuppression and Immunomodulation," <i>Immunological and Infectious Diseases of the Peripheral Nerves</i> , Latov et al., editors, Cambridge University Press, Chapter 24, pp. 366-368, 1998.				
	A10	BREDIUS et al., "Role of neutrophile FcγRIIa (CD32) and FcγRIIIb (CD16) polymorphic forms in phagocytosis of human IgG1- and IgG3-opsonized bacteria and erythrocytes," <i>Immunology</i> , 1994, pp. 624-630, Vol. 83.				
	A11	CANT et al., "Glycosylation and functional activity of anti-D secreted by two human lymphoblastoid cell lines," <i>Cytotechnology</i> , 1994, pp. 223-228, Vol. 15.				
	A12	CARROLL et al., "Mouse X human heterohybridomas as fusion partners with human," <i>J. Immunol.</i> Methods, 1986, pp. 61-72, Vol. 89, Elsevier.				
	A13	CD61, Wikipedia, [online] [retrieved on 09/22/2009]. Retrieved from the Internet: <url: 09="" 1="" 2009].="" 22="" 5="" <url:="" [online]="" [retrieved="" cd61,="" en.wikipedia.org="" from="" history="" http:="" index.php?title="CD61&action=history," internet:="" of="" on="" page.<="" pages.="" retrieved="" revision="" td="" the="" w="" wiki=""><td></td></url:>				
	A14	CHOWDHURY et al., "Tailor-made antibody therapeutics," <i>Methods</i> , 2005, pp. 11-24, Vol. 36, Elsevier.				
	A15	DUCROT et al., "Use of the DAF Assay to Assess the Functional Properties of Polyclonal and Monoclonal Rh D Antibodies," <i>Vox Sang</i> , 1996, pp. 30-36, Vol. 71.				
	A16	GALILI et al., "A Unique Natural Human IgG Antibody with Anti-α-Galactosyl Specificity," <i>J. Exp. Med.</i> , Nov. 1984, pp. 1519-1531, Vol. 160.				
	A17	GOOSSENS, et al., "Human monoclonal antibodies against blood group antigens. Preparation of a series of stable EBV immortalized B clones producing high levels of antibody of different isotypes and specificities," <i>J. Immunol. Methods</i> , 1987, pp. 193-200, Vol. 101, Elsevier.				
	A18	GREENMAN et al., "Comparative efficiencies of bispecific F(ab'γ) ₂ and chimeric mouse/human IgG antibodies in recruiting cellular effectors for cytotoxicity via Fcγ receptors," Cancer Immunol. Immunother., 1992, pp. 361-369, Vol. 34.				

Examiner Signature	Date Considered	

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. 1 Applicant's unique citation designation number (optional). 2 See Kinds Codes of USPTO Patent Documents at www.uspto.gov or MPEP 901.04. 3 Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3). 4 For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. 5 Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST.16 if possible. 6 Applicant is to place a check mark here if English language Translation is attached.

This collection of information is required by 37 CFR 1.97 and 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 2 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid

	Substitute for fo	rm 14	49/PTO	Complete if Known		
	INFORMATION	DISC	LOSURE	Application Number	10/566,358	
	STATEMENT BY	Y APF	PLICANT	Filing Date	04/13/2006	
	Data Cubada B		L 0 2000	First Named Inventor	Dominique BOUREL	
	Date Submitted: Do	ecem	ber 6, 2009	Art Unit	1644	
	(use as many shee	ts as	necessary)	Examiner Name	Ilia I. Ouspenski	
Sheet	3	of	6	Attorney Docket Number	065691-0433	

		NON PATENT LITERATURE DOCUMENTS	
Examiner Initials*	Cite No. ¹	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.) date, page(s), volume-issue number(s), publisher, city and/or country where published.	T ⁶
	A19	HADLEY et al., "The functional activity of FcγRII and FcγRIII on subsets of human lymphocytes," <i>Immunology</i> , 1992, pp. 446-451, Vol. 76.	
•	A20	HSU et al., "Differential N-Glycan Patterns of Secreted and Intracellular IgG Produced in Trichoplusia ni Cells," J. Biol. Chem., Apr. 1997, pp. 9062-9070, Vol. 272, No.14.	
	A21	HUGHES-JONES et al., "Nucleotide sequences and three-dimensional modeling of the V _H and V _L domains of two human monoclonal antibodies specific for the D antigen of the human Rh-blood-group system," <i>Biochem. J.</i> , 1990, pp. 135-140, Vol. 268.	
	A22	IP et al., "Structural Characterization of the N-Glycans of a Humanized Anti-CD18 Murine Immunoglobulin G," Archives of Biochemistry and Biophysics, Feb. 1991, pp. 387-399, Vol. 208, No. 2.	
	A23	JEFFERIS et al., "IgG-Fc-mediated effector functions: molecular definition of interaction sites for effector ligands and the role of glycosylation," <i>Immunol. Reviews</i> , 1998, pp. 59-76, Vol. 163.	
	A24	KELER et al., "Bispecific antibody-dependent Cellular Cytotoxicity of HER2/neu-overexpressing Tumor Cells by Fcγ Receptor Type I-expressing Effector Cells," Cancer Research, Sept. 1997, pp. 4008-4014, Vol. 57.	
	A25	KILMARTIN et al., "Rat Monoclonal Antitubulin antibodies Derived by Using a New Nonsecreting Rat Cell Line," <i>J. Cell Biol.</i> , June 1982, pp. 576-582, Vol. 93.	
	A26	KLEIN et al., "Human recombinant anti-Rh(D) monoclonal antibodies: Improvement of biological properties by in vitro class-switch," Human Antibodies, 1997, pp. 17-25, Vol. 8, No. 1.	
	A27	KUMPEL et al., "Activity and Fcγ receptor utilization of IgG anti-D monoclonal antibodies in monocytes chemiluminescence assays and lymphocyte ADCC assays," 4 th Workshop on Mabs against human red blood cells and related antigens, PARIS, 19-20 July 2002, page 1.	
	A28	KUMPEL et al., "Galactosylation of human IgG monoclonal anti-D produced by EBV-transformed By- lymphoblastoid cell lines is dependent on culture method and affects Fc receptor-mediated functional activity," <i>Hum. Antibod. Hybridomas</i> , 1994, pp. 143-151, Vol. 5. Nos. 3 and 4.	
	A29	KUMPEL et al., "Heterogeneity in the ability of IgG1 monoclonal anti-D to promote lymphocyte-mediated red cell lysis, <i>Eur. J. Immunol.</i> , 1989, pp. 2283-2288, Vol. 19.	
	A30	KUMPEL et al., "Human Rh D monoclonal antibodies (BRAD-3 and BRAD-5) cause accelerated clearance of Rh D+ red blood cells and suppression of Rh D immunication in Rh D- volunteers," <i>Blood</i> , 1995, pp. 1701-1709, Vol. 86, American Society of Hematology.	
	A31	KUMPEL, B.M., "Efficacy of RhD monoclonal antibodies in clinical trials as replacement therapy for prophylactic anti-D immunoglobulin: more questions than answers," <i>Vox Sang.</i> , 2007, pp. 99-111, Vol. 93.	

Examiner Signature	Date Considered	

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. 1 Applicant's unique citation designation number (optional). 2 See Kinds Codes of USPTO Patent Documents at www.uspto.gov or MPEP 901.04. 3 Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3). 4 For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. 5 Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST.16 if possible. 6 Applicant is to place a check mark here if English language Translation is attached.

This collection of information is required by 37 CFR 1.97 and 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 2 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO:

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

	Substitute fo	r form 14	49/PTO	Complete if Known		
	INFORMATIO	N DISC	LOSURE	Application Number	10/566,358	
	STATEMENT	BY APP	PLICANT	Filing Date	04/13/2006	
	D - 4 - C b : 44 d.	D	h 0 2000	First Named Inventor	Dominique BOUREL	
	Date Submitted:	Decem	ber 6, 2009	Art Unit	1644	
	(use as many sh	neets as	necessary)	Examiner Name	Ilia I. Ouspenski	
Sheet	4	of	6	Attorney Docket Number	065691-0433	

		NON PATENT LITERATURE DOCUMENTS			
	Cite No. ¹				
•	A32	KUMPEL, B.M., "Monoclonal anti-D for prophylaxis of RhD haemolytic disease of the newborn," <i>Transfus. Clin. Biol.</i> , 1997, pp. 351-356, Vol. 4.			
,	A33	LIFELY et al., "Glycosylation and biological activity of CAMPATH-1H expressed in different cell lines and grown under different culture conditions," <i>Glycobiology</i> , 1995, pp. 813-822, Vol. 5, No. 8.			
,	A34	LUND et al., "Control of IgG/Fc Glycosylation: A Comparison of Oligosaccharides from Chimeric Human/Mouse and Mouse Subclass Immunoglobulin Gs," <i>Mole. Immunol.</i> , 1993, pp. 741-748, Vol. 30, No. 8.			
,	A35	MELAMED et al., "Requirements for the establishment of heterohybridomas secreting monoclonal human antibody to rhesus (D) blood group antigen," <i>J. Immunol. Methods</i> , 1987, pp. 245-251, Vol. 104, Elsevier.			
,	A36	MERRIAM-WEBSTER, Webster's Third New International Dictionary of the English Language Unabridged, 1961, p. 1761.			
•	A37	MORI et al., "Non-fucosylated therapeutic antibodies: the next generation of therapeutic antibodies," <i>Cytotechnology</i> , 2007, pp. 109-114, Vol. 55.			
,	A38	NAKAMURA et al., "Chimeric Anti-Ganglioside G _{M2} Antibody with Antitumor Activity," <i>Cancer Research</i> , Mar. 1994, pp. 1511-1516, Vol. 54.			
,	A39	PAPAC et al., "A high-throughput microscale method to release N-linked oligosaccharides from glycoproteins for matrix-assisted laser desorption/ionization time-of-flight mass spectrometric analysis," 1998, pp. 463-472, Vol. 8, No. 5.			
	A40	PATERSON et al., "Variation in IgG1 heavy chain allotype does not contribute to differences in biological activity of two human anti-Rhesus (D) monoclonal antibodies," <i>Immunotechnology</i> , 1998, pp. 37-47, Vol. 4, Elsevier.			
•	A41	PRESTA, Leonard G., "Engineering of therapeutic antibodies to minimize immunogenicity and optimize function," <i>Advanced Drug Delivery Reviews</i> , 2006, pp. 640-656, Vol. 58, Elsevier.			
,	A42	PUTHALAKATH et al., "Glycosylation Defect in Lec1 Chinese Hamster Ovary Mutant Is Due to a Point Mutation in N-Acetylglucosaminyltransferase I Gene," J. Biol. Chem., Nov. 1996, pp. 27818-27822, Vol. 271, No. 44.			
	A43	RAJU et al., "Species-specific variation in glycosylation of IgG: evidence for the species-specific sialylation and branch-specific galactosylation and importance for engineering recombinant glycoprotein therapeutics," <i>Glycobiology</i> , 2000, pp. 477-486, Vol. 10, No. 5.			
,	A44	REVILLARD, Jean-Pierre, <i>Immunologie</i> , 2d Ed., 1995, various chapters, DeBoeck Université.			

Examiner Date Signature Considered	

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. 1 Applicant's unique citation designation number (optional). 2 See Kinds Codes of USPTO Patent Documents at www.uspto.gov or MPEP 901.04. 3 Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3). 4 For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. 5 Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST.16 if possible. 6 Applicant is to place a check mark here if English language Translation is attached.

This collection of information is required by 37 CFR 1.97 and 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 2 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid

	Substitute	e for form 14	49/PTO	Complete if Known		
	INFORMA	TION DISC	LOSURE	Application Number	10/566,358	
	STATEME	NT BY API	PLICANT	Filing Date	04/13/2006	
	D-4- Cub	d. D	h 0 7000	First Named Inventor	Dominique BOUREL	
	Date Submitt	ea: Decem	per 8, 2009	Art Unit	1644	
	(use as many	/ sheets as	necessary)	Examiner Name	Ilia I. Ouspenski	
Sheet	5	of	6	Attorney Docket Number	065691-0433	

		NON PATENT LITERATURE DOCUMENTS					
Examiner Initials*	Cite No. 1 Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), tit item (book, magazine, journal, serial, symposium, catalog, etc.) date, page(s), volume-is number(s), publisher, city and/or country where published.						
	A45	ROTHMAN et al., "Antibody-dependent Cytotoxicity Mediated by Natural Killer Cells is Enhanced by Castanospermine-induced Alterations of IgG Glycosylation," <i>Mole. Immunol.</i> , 1989, pp. 1113-1123, Vol. 26, No. 12.					
	A46	SEGAL et al., "The Role of Non-immune IgG in Controlling IgG-Mediated Effector Functions," <i>Mole. Immunol.</i> , 1983, pp. 1177-1189, Vol. 20, No. 11.					
	A47	SHAW et al., "Human Lymphocyte, Monocyte, and Neutrophil Antibody-Dependent Cell-Mediated Cytotoxicity toward Human Erythrocytes," <i>Cell. Immunol.</i> , 1978, pp. 122-133, Vol. 41.					
	A48	SHIELDS et al., "Lack of Fucose on Human IgG1 <i>N</i> -Linked Oligosaccharide Improves Binding to Human FcγRIII and Antibody-dependent Cellular Toxicity," <i>J. Bio. Chem.</i> , July 2002, pp. 26733-26740, Vol. 277, No. 30.					
	A49	SHINKAWA et al., "The Absence of Fucose but Not the Presence of Galactose or Bisecting N-Acetylglucosamine of Human IgG1 Complex-type Oligosaccharides Shows the Critical Role of Enhancing Antibody-dependent Cellular Cytotoxicity," J. Biol. Chem., Jan. 2003, pp. 3466-3473, Vol. 278, No. 5.					
	A50	SHITARA et al., "A new vector for the high level expression of chimeric antibodies in myeloma cells," <i>J. Immunol. Methods</i> , 1994, pp. 271-278, Vol. 167, Elsevier Science B.V.					
	A51	SIBÉRIL et al., "Selection of a human anti-RhD monoclonal antibody for therapeutic use: Impact of IgG glycosylatiion on activating and inhibitory FcγR functions," <i>Clinical Immunol.</i> , 2006, pp. 170-179, Vol. 118, Elsevier.					
	A52	TAKAHASHI et al., "Comparative Structural Study of the N-Linked Oligosaccharides of Human IgG Normal and Pathological Immunoglobulin G," <i>Biochemistry</i> , 1987, pp. 1137-1144, Vol. 26.					
	A53	TANDAI et al., "Structural Study of the Sugar Moieties of Monoclonal Antibodies Secreted by Human-Mouse Hybridoma," <i>Archives of Biochemistry and Biophysics</i> , Dec. 1991, pp. 339-348, Vol. 291, No. 2.					
	A54	TEILLAUD, Jean-Luc, "Engineering of monoclonal antibodies and antibody-based fusion proteins: successes and challenges," <i>Expert Opin. Biol. Ther.</i> , 2005, pp. S15-S27, Vol. 5, Suppl. 1, Ashley Publications.					
	A55	UMAÑA et al., "Engineered glycoforms of an antineuro-blastoma lgG1 with optimized antibody-dependent cellular cytotoxic activity," <i>Nature Biotechnology</i> , Feb. 1999, pp. 176-180, Vol. 17.					
	A56	URBANIAK et al., "Prediction of the Outcome of Rhesus Haemolytic Disease of the Newborn: Additional Information Using an ADCC Assay," <i>Vox Sang.</i> , 1984, pp. 323-329, Vol. 46.					
	A57	URBANIAK, S.J., "ADCC (K-Cell) Lysis of Human Erythrocytes Sensitized with Rhesus Alloantibodies," British J. Haematology, 1979, pp. 303-314, Vol. 42.					

Examiner Signature		Date Considered	

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. 1 Applicant's unique citation designation number (optional). 2 See Kinds Codes of USPTO Patent Documents at www.uspto.gov or MPEP 901.04. 3 Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3). 4 For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. 5 Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST.16 if possible. 6 Applicant is to place a check mark here if English language Translation is attached.

This collection of information is required by 37 CFR 1.97 and 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 2 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO:

Approved for use through 03/31/2007. OMB 0651-0031

U.S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

	Substitute for f	orm 14	49/PTO	С	Complete if Known		
	INFORMATION	DISC	LOSURE	Application Number	10/566,358		
	STATEMENT E	Y API	PLICANT	Filing Date	04/13/2006		
Date Submitted: December 8, 2009				First Named Inventor	Dominique BOUREL		
	Date Submitted. L	Jecem	Del 6, 2009	Art Unit	1644		
	(use as many she	ets as	necessary)	Examiner Name	Ilia I. Ouspenski		
Sheet	6	of	6	Attorney Docket Number	065691-0433		

		NON PATENT LITERATURE DOCUMENTS			
Examiner Initials*	Cite No.1	nclude name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.) date, page(s), volume-issue number(s), publisher, city and/or country where published.			
	A58	WRIGHT et al., "Effect of Altered C _H 2-associated Carbohydrate Structure on the Functional Properties and In Vivo Fate of Chimeric Mouse-Human Immunoglobulin G1, J. Exp. Med., Sept. 1994, pp. 1087-1096, Vol. 180, The Rockefeller University Press.			
	A59	WRIGHT et al., "Effect of C2-Associated Carbohydrate Structure on Ig Effector Function: Studies with Chimeric Mouse-Human IgG1 Antibodies in Glycosylation Mutants of Chinese Hamster Ovary Cells," J. of Immunol., 1998, pp. 3393-3402.			
	A60	WRIGHT et al., "Effect of glycosylation on antibody function: implications for genetic engineering," <i>TIBTECH</i> , Jan. 1997, pp. 26-32, Vol. 15.			
	A61	WRIGHT et al., "In vivo Trafficking and catabolism of lgG1 antibodies with Fc associated carbohydrates of differing structure," Glycobiology, 2000, pp. 1347-1355, Vol. 10, No. 12.			
	A62	YANO et al., "Analysis of N-linked oligosaccharides in the Fc region of an antibody," Experiment Summary, 16 pages, 23 June to 28 July, 2009.			

			
Examiner Signature	/Ilia Ouspenski/	Date Considered	01/11/2010

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant: 1 Applicant's unique citation designation number (optional). 2 See Kinds Codes of USPTO Patent Documents at www.uspto.gov or MPEP 901.04. 3 Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3). 4 For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. 5 Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST.16 if possible. 6 Applicant is to place a check mark here if English language Translation is attached.

This collection of information is required by 37 CFR 1.97 and 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 2 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.